



Yuhuan Xushi
Plastic Industry Co.,Ltd.
玉环许氏塑业

contents

01-11 Valves

X9001	X9002	01/02
X9003	X9004	
X9011	X9012	03/04
X9021	X9022	
X9031	X9041	05/06
X9101	X9111	

X9121	X9201	07/08
X9211	X9221	
X9401	X9401P	09/10
X9411	X9411P	
X9501		11

13-20 Bibcocks

X8001	X8001T	X8002	13/14
X8002T	X8011	X8011T	
X8012	X8012T	X8021	15/16
X8021T	X8022	X8022T	


X8101	X8201	X8202	17/18
X8211	X8212	X8301	
X8301P	X8302	X8311	19/20
X8312	X8401	X8411	

23-26 Fittings

X7001	X7011	X7021	X7031	X7032	X7041	X7051	X7101	23/24
X7102	X7201	X7202	X7203	X7211	X7212	X7221	X7222	
X7301	X7311	X7321	X7331	X7361	X7401	X7501		
X6001	X6002	X6003	X6011	X6021	X6101			25
X6102	X6111	X6201	X6202	X6211				
X1001	X1002	X1003	X1004	X1005				26


ISO9001:2008






X9001

DESCRIPTION: Compact Ball Valve
(Butterfly Handle)



SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
15mm (1/2")	14	14	22	21.3	20	22	30.9	79.8	70.1	65.8
20mm (3/4")	14	14	26	26.7	25	26	35.6	91.1	77.7	75.1
25mm (1")	11.5	11	34	33.4	32	32	42.9	101.9	89.9	85.8
32mm (1 1/4")	11.5	11	42	42.15	40	42	52.1	111.8	105.5	101.3
40mm (1 1/2")	11.5	11	48	48.25	50	48	61.2	129.2	113.5	112.5
50mm (2")	11.5	11	60	60.3	63	60	72.9	149.8	130.9	129.3




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM-NBR-FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1




X9002

DESCRIPTION: Compact Ball Valve
(Long Handle)



SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
50mm (2")	11.5	11	60	60.3	63	60	71.8	148.8	140.7	130.7
65mm (2 1/2")	8	11	76	73	75	76	89.8	186.4	181.5	163
80mm (3")	8	11	89	89	90	89	106	209.5	181.5	180
100mm (4")	8	11	114	114	110	114	135	292	260	229



ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM-NBR-FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1



X9003
DESCRIPTION: Compact Ball Valve
(Two-way Handle)

SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
65mm (2½")	8	11	76	73	75	76	89.8	186.4	196.7	166
80mm (3")	8	11	89	89	90	89	106	209.6	196.7	189

ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM-NBR-FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1



X9004
DESCRIPTION: Compact Ball Valve
(One-way Handle)

SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
15mm (1/2")	14	14	22	21.3	20	22	30.9	79.8	68.9	66.2
20mm (3/4")	14	14	26	26.7	25	26	35.6	91.1	78.9	75.2
25mm (1")	11.5	11	34	33.4	32	32	42.9	101.9	89.9	86.8
32mm (1¼")	11.5	11	42	42.15	40	42	52.1	111.8	103.2	102.8
40mm (1½")	11.5	11	48	48.25	50	48	61.2	129.2	116.2	112.6
50mm (2")	11.5	11	60	60.3	63	60	72.9	149.8	135.8	130.3

ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM-NBR-FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1



X9011
DESCRIPTION: MF Ball Valve
(Butterfly Handle)

SIZE	NPT	BSPT	BS	ANSI	DIN	JIS					
	Thd./in		d1	d1	d1	d1	D	M	L1	L2	H
20mm (3/4")	14	14	26	26.7	25	26	35.6	3/4"	84.8	70.1	67.5
25mm (1")	11.5	11	34	33.4	32	32	43.9	1"	99.3	77.7	76
40mm (1½")	11.5	11	48	48.25	50	48	60	1-1/2"	120	113.5	112.8
50mm (2")	11.5	11	60	60.3	63	60	76.6	2"	151.6	130.9	129.7

The diagram shows an exploded view of a ball valve assembly. The components are numbered as follows: 1. Cap, 2. Handle, 3. O-ring, 4. Stem, 5. Ball, 6. Seat seal, and 7. Body. The assembly is shown in a disassembled state to illustrate the relationship between the parts.

ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM-NBR-FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1



X9012
DESCRIPTION: MF Ball Valve
(Long Handle)

Technical drawing of a ball valve. The top view shows dimensions L1 (overall length), L2 (length to the end of the handle), D (ball diameter), and H (height). The side view shows dimension M (mounting hole distance).

SIZE	NPT	BSPT	BS	ANSI	DIN	JIS					
	Thd./in		d1	d1	d1	d1	D	M	L1	L2	H
50mm (2")	11.5	11	60	60.3	63	60	76.6	2"	151.6	140.7	129.7


Exploded view diagram of a ball valve assembly. The components are numbered as follows: 1. Cap, 2. Handle, 3. O-ring, 4. Stem, 5. Ball, 6. Seat seal, 7. Body.

ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM-NBR-FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1




X9021


DESCRIPTION: Combined Ball Valve
(One-way Handle)




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
15 mm (1/2")	14	14	22	21.3	20	22	30.9	76.5	67	69.7
20 mm (3/4")	14	14	26	26.7	25	26	36.3	87.3	78.3	81.3
25 mm (1")	11.5	11	34	33.4	32	32	43.6	106.8	86.5	91.5
32 mm (1 1/4")	11.5	11	42	42.15	40	42	53.5	118.5	98.4	107.5
40 mm (1 1/2")	11.5	11	48	48.25	50	48	61	140	143.1	123.1
50 mm (2")	11.5	11	60	60.3	63	60	74.8	152.3	143.6	137.5



ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS	1
2	O-RING	EPDM-NBR-FPM	1
3	STEM	U-PVC	1
4	BODY	U-PVC	1
5	SEAT SEAL	P.T.F.E	2
6	BALL	U-PVC	1
7	FIXED END	U-PVC	1



SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
65 mm (2 1/2")	8	11	76	73	75	76	94	189	204	186
80 mm (3")	8	11	89	89	90	89	115	217	212	208
100 mm (4")	8	11	114	114	110	114	142	300	220	246
125 mm (5")	8	11	141.3	141.3	140	140	170	315	220	253
150 mm (6")	8	11	168	168	160	165	198	460	299	317



ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	ABS	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BODY	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BALL	U-PVC	1
9	FIXED END	U-PVC	1


X9022

DESCRIPTION: Combined Ball Valve
(Long Handle)




X9031

DESCRIPTION: Hexagon Ball Valve
(One-way Handle)



SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
15mm (1/2")	14	14	22	21.3	20	22	31.7	74.8	75.3	61.5
20mm (3/4")	14	14	26	26.7	25	26	38.6	89.2	75.3	68.7




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	NYLON	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	NYLON	1
4	O-RING	EPDM-NBR-FPM	2
5	STEM	BRASS	1
6	BALL	ABS	1
7	SEAT SEAL	P.T.F.E	2
8	COVER	PPR	2
9	BODY	PPR	1




X9041


DESCRIPTION: MF Hexagon Ball
Valve (One-way Handle)



SIZE	NPT	BSPT	BS	ANSI	DIN	JIS					
	Thd./in		d1	d1	d1	d1	D	M	L1	L2	H
15mm (1/2")	14	14	22	21.3	20	22	31.7	1/2"	75.7	75.3	61.5
20mm (3/4")	14	14	26	26.7	25	26	38.6	3/4"	86.8	75.3	68.7




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	NYLON	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	NYLON	1
4	O-RING	EPDM-NBR-FPM	2
5	STEM	BRASS	1
6	BALL	ABS	1
7	SEAT SEAL	P.T.F.E	2
8	COVER	PPR	2
9	BODY	PPR	1




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS			
	Thd./in		d1	d1	d1	d1	D	L	H
20 mm (3/4")	14	14	26	26.7	25	26	35.4	43.5	140.6
25 mm (1")	11.5	11	34	33.4	32	32	41.1	52.8	148.4
32 mm (1 1/4")	11.5	11	42	42.15	40	42	48.7	53.6	150.1
40 mm (1 1/2")	11.5	11	48	48.25	50	48	55.1	77.5	217.4
50 mm (2")	11.5	11	60	60.3	63	60	67.4	77.5	217.4

X9101

DESCRIPTION: Foot Valve (Spring Type)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	BODY	U-PVC	1
2	SPRING	STAINLESS STEEL	1
3	PISTON	U-PVC	1
4	GASKET	EPDM-NBR-FPM	1
5	O-RING	EPDM-NBR-FPM	1
6	BONNET	U-PVC	1




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS			
	Thd./in		d1	d1	d1	d1	D	L	H
50 mm (2")	11.5	11	60	60.3	63	60	73.7	115.3	238.6

X9111

DESCRIPTION: Foot Valve (Ball Type)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	BODY	U-PVC	1
2	SPRING	STAINLESS STEEL	1
3	BALL	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	O-RING	EPDM-NBR-FPM	1
6	SEAL CARRIER	U-PVC	1
7	BONNET	U-PVC	1




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS			
	Thd./in		d1	d1	d1	d1	D	L	H
80mm (3")	8	11	89	89	90	89	107.4	174	277.6

X9121

DESCRIPTION: Foot Valve (Baffle Type)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	NUT	STAINLESS STEEL	8
2	GASKET	STAINLESS STEEL	8
3	BODY	U-PVC	1
4	BAFFLE	U-PVC	1
5	LINKAGE	U-PVC	1
6	GASKET	EPDM-NBR-FPM	1
7	BODY	U-PVC	1
8	SCREW	STAINLESS STEEL	8
9	BONNET	U-PVC	1



SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
15mm (1/2")	14	14	22	21.3	20	22	28.6	72.4	64.7	76.7
20mm (3/4")	14	14	26	26.7	25	26	34.2	84.3	76.9	89.4
25mm (1")	11.5	11	34	33.4	32	32	43.1	102.2	92.6	107.1
40mm (1 1/2")	11.5	11	48	48.25	50	48	61.8	142.6	109.6	140.5
50mm (2")	11.5	11	60	60.3	63	60	77.2	172.5	128	164.5
65mm (2 1/2")	8	11	76	73	75	76	90.5	204	147	187.5
80mm (3")	8	11	89	89	90	89	106.5	237.5	175.8	220
100mm (4")	8	11	114	114	110	114	129.5	273.5	205.7	249

X9201


DESCRIPTION: Single Union Ball Valve




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS	1
2	O-RING	EPDM-NBR-FPM	1
3	STEM	U-PVC	1
4	BODY	U-PVC	1
5	SEAT SEAL	P.T.F.E	2
6	BALL	U-PVC	1
7	O-RING	EPDM-NBR-FPM	1
8	SEAL CARRIER	U-PVC	1
9	O-RING	EPDM-NBR-FPM	1
10	END CONNECTOR	U-PVC	1
11	UNION NUT	U-PVC	1



X9211
DESCRIPTION: Double Union Ball Valve




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	L1	L2	H
15 mm (1/2")	14	14	22	21.3	20	22	28.6	79.8	64.7	76.7
20 mm (3/4")	14	14	26	26.7	25	26	34.2	92.8	76.9	89.4
25 mm (1")	11.5	11	34	33.4	32	32	43.1	113.8	92.6	107.1
40 mm (1½")	11.5	11	48	48.25	50	48	61.8	155.6	109.6	140.5
50 mm (2")	11.5	11	60	60.3	63	60	77.2	193	128	164.5




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS	1
2	O-RING	EPDM-NBR-FPM	1
3	STEM	U-PVC	1
4	BODY	U-PVC	1
5	SEAT SEAL	P.T.F.E	2
6	BALL	U-PVC	1
7	O-RING	EPDM-NBR-FPM	1
8	SEAL CARRIER	U-PVC	1
9	O-RING	EPDM-NBR-FPM	2
10	END CONNECTOR	U-PVC	2
11	UNION NUT	U-PVC	2



X9221
DESCRIPTION: MF Union Ball Valve




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS					
	Thd./in		d1	d1	d1	d1	D	M	L1	L2	H
25mm (1")	11.5	11	34	33.4	32	32	43.1	1"	119.6	92.6	107.1
40mm (1½")	11.5	11	48	48.25	50	48	61.8	1½"	158.4	109.6	140.5
50mm (2")	11.5	11	60	60.3	63	60	77.2	2"	186.4	128	164.5




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS	1
2	O-RING	EPDM-NBR-FPM	1
3	STEM	U-PVC	1
4	BODY	U-PVC	1
5	SEAT SEAL	P.T.F.E	2
6	BALL	U-PVC	1
7	O-RING	EPDM-NBR-FPM	1
8	SEAL CARRIER	U-PVC	1
9	O-RING	EPDM-NBR-FPM	1
10	END CONNECTOR	U-PVC	1
11	UNION NUT	U-PVC	1



X9401
DESCRIPTION: Angle Valve




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	M1	M2	L	H
15mm (1/2")	14	14	22	21.3	20	22	1/2"	1/2"	35.1	87.5




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS	1
2	BONNET	POM	1
3	O-RING	EPDM-NBR-FPM	1
4	O-RING	EPDM-NBR-FPM	2
5	STEM	POM	1
6	CERAMIC CHIP	CERAMIC	1
7	CERAMIC CHIP	CERAMIC	1
8	WASHER	EPDM-NBR-FPM	1
9	BODY	ABS	1



X9401P
DESCRIPTION: Angle Valve (Plating)




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	M1	M2	L	H
15mm (1/2")	14	14	22	21.3	20	22	1/2"	1/2"	35.1	87.5




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS + PLATING	1
2	BONNET	POM	1
3	O-RING	EPDM-NBR-FPM	1
4	O-RING	EPDM-NBR-FPM	2
5	STEM	POM	1
6	CERAMIC CHIP	CERAMIC	1
7	CERAMIC CHIP	CERAMIC	1
8	WASHER	EPDM-NBR-FPM	1
9	BODY	ABS + PLATING	1



X9411
DESCRIPTION: MF Angle Valve




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	M	L	H
15 mm (1/2")	14	14	22	21.3	20	22	26	1/2"	35.1	88.1




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS	1
2	BONNET	POM	1
3	O-RING	EPDM-NBR-FPM	1
4	O-RING	EPDM-NBR-FPM	2
5	STEM	POM	1
6	CERAMIC CHIP	CERAMIC	1
7	CERAMIC CHIP	CERAMIC	1
8	WASHER	EPDM-NBR-FPM	1
9	BODY	ABS	1




X9411P
DESCRIPTION: MF Angle Valve
(Plating)




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS				
	Thd./in		d1	d1	d1	d1	D	M	L	H
15 mm (1/2")	14	14	22	21.3	20	22	26	1/2"	35.1	88.1




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS + PLATING	1
2	BONNET	POM	1
3	O-RING	EPDM-NBR-FPM	1
4	O-RING	EPDM-NBR-FPM	2
5	STEM	POM	1
6	CERAMIC CHIP	CERAMIC	1
7	CERAMIC CHIP	CERAMIC	1
8	WASHER	EPDM-NBR-FPM	1
9	BODY	ABS + PLATING	1




X9501
DESCRIPTION: Check Valve




SIZE	NPT	BSPT	BS	ANSI	DIN	JIS			
	Thd./in		d1	d1	d1	d1	D	L	H
25mm (1")	11.5	11	34	33.4	32	32	45.4	130	69.2
40mm (1½")	11.5	11	48	48.25	50	48	61	172.2	89
50mm (2")	11.5	11	60	60.3	63	60	75	162.5	96.7



ITEM	COMPONENT	MATERIAL	QUANTITY
1	UNION NUT	U-PVC	1
2	END CONNECTOR	U-PVC	1
3	O-RING	EPDM-NBR-FPM	1
4	SPRING	STAUNLESS STEEL	1
5	PISTON	U-PVC	1
6	GASKET	EPDM-NBR-FPM	1
7	BODY	U-PVC	1



X8001
DESCRIPTION: Common Short
Bibcock (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM · NBR · FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8001T
DESCRIPTION: Transparent Short
Bibcock (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM · NBR · FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8002
DESCRIPTION: Common Short
Bibcock (One-way Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM · NBR · FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8002T

DESCRIPTION: Transparent Short Bibcock (One-way Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8011

DESCRIPTION: Common Long Bibcock (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8011T

DESCRIPTION: Transparent Long Bibcock (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8012

DESCRIPTION: Common Long Bibcock (One-way Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8012T

DESCRIPTION: Transparent Long Bibcock (One-way Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE: ☐ 1/2" ☐ 3/4"



X8021

DESCRIPTION: Common Bibcock With Connector (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	GASKET	EPDM-NBR-FPM	1
10	NOZZLE	U-PVC	1

SIZE: ☐ 1/2"X 16 ☐ 1/2"X20 ☐ 3/4"X16 ☐ 3/4"X20



X8021T

DESCRIPTION: Transparent Bibcock With Connector (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	GASKET	EPDM-NBR-FPM	1
10	NOZZLE	U-PVC	1

SIZE:	☐ 1/2" × 16	☐ 1/2" × 20	☐ 3/4" × 16	☐ 3/4" × 20
-------	------------------------------------	------------------------------------	------------------------------------	------------------------------------



X8022

DESCRIPTION: Common Bibcock With Connector (One-way Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	GASKET	EPDM-NBR-FPM	1
10	NOZZLE	U-PVC	1

SIZE:	☐ 1/2" × 16	☐ 1/2" × 20	☐ 3/4" × 16	☐ 3/4" × 20
-------	------------------------------------	------------------------------------	------------------------------------	------------------------------------



X8022T

DESCRIPTION: Transparent Bibcock With Connector (One-way Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	GASKET	EPDM-NBR-FPM	1
10	NOZZLE	U-PVC	1

SIZE:	☐ 1/2" × 16	☐ 1/2" × 20	☐ 3/4" × 16	☐ 3/4" × 20
-------	------------------------------------	------------------------------------	------------------------------------	------------------------------------



X8101

DESCRIPTION: Cartoon Bibcock (Doggy Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	U-PVC	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	U-PVC	1
4	O-RING	EPDM · NBR · FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1
9	FILTER	U-PVC	1

SIZE:	☐ 1/2"	☐ 3/4"
-------	-------------------------------	-------------------------------



X8201

DESCRIPTION: Straight Bibcock (Cross Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	ABS	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1

SIZE:	☐ 1/2" × 25	☐ 3/4" × 25
-------	------------------------------------	------------------------------------




X8202

DESCRIPTION: Straight Bibcock (One-way Handle)



ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	SCREW	STAINLESS STEEL	1
3	HANDLE	ABS	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	U-PVC	1
6	BALL	U-PVC	1
7	SEAT SEAL	P.T.F.E	2
8	BODY	U-PVC	1

SIZE:	☐ 1/2" × 25	☐ 3/4" × 25
-------	------------------------------------	------------------------------------




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM·NBR·FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1

SIZE: 1/2" × 25 3/4" × 25

X8211

DESCRIPTION: Straight Bibcock
(Butterfly Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS	1
2	HANDLE	ABS	1
3	O-RING	EPDM·NBR·FPM	1
4	STEM	U-PVC	1
5	BALL	U-PVC	1
6	SEAT SEAL	P.T.F.E	2
7	BODY	U-PVC	1

SIZE: 1/2" × 25 3/4" × 25

X8212

DESCRIPTION: Straight Bibcock
(Rhombus Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS · PP	1
2	HANDLE	ABS · PP	1
3	BONNET	POM	1
4	O-RING	EPDM · NBR · FPM	1
5	O-RING	EPDM · NBR · FPM	1
6	STEM	POM	1
7	CERAMIC CHIP	CERAMIC	1
8	CERAMIC CHIP	CERAMIC	1
9	GASKET	EPDM·NBR·FPM	1
10	GASKET	EPDM·NBR·FPM	1
11	BODY	ABS · PP	1
12	FLITER	ABS · PP	1

SIZE: 1/2" 3/4"

X8301

DESCRIPTION: Fast-opening Bibcock
(Knob Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS + PLATING	1
2	HANDLE	ABS + PLATING	1
3	BONNET	POM	1
4	O-RING	EPDM·NBR·FPM	1
5	O-RING	EPDM·NBR·FPM	1
6	STEM	POM	1
7	CERAMIC CHIP	CERAMIC	1
8	CERAMIC CHIP	CERAMIC	1
9	GASKET	EPDM·NBR·FPM	1
10	GASKET	EPDM·NBR·FPM	1
11	BODY	ABS + PLATING	1
12	FLITER	ABS · PP	1

SIZE: 1/2" 3/4"

X8301P

DESCRIPTION: Fast-opening Bibcock
(Knob Handle-Plating)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS · PP	1
2	BONNET	POM	1
3	O-RING	EPDM·NBR·FPM	1
4	O-RING	EPDM·NBR·FPM	1
5	STEM	POM	1
6	CERAMIC CHIP	CERAMIC	1
7	CERAMIC CHIP	CERAMIC	1
8	GASKET	EPDM·NBR·FPM	1
9	GASKET	EPDM·NBR·FPM	1
10	BODY	ABS · PP	1
11	FLITER	ABS · PP	1

SIZE: 1/2" 3/4"

X8302

DESCRIPTION: Fast-opening Bibcock
(One-way Handle)



ITEM	COMPONENT	MATERIAL	QUANTITY
1	CAP	ABS · PP	1
2	HANDLE	ABS · PP	1
3	BONNET	POM	1
4	O-RING	EPDM·NBR·FPM	1
5	O-RING	EPDM·NBR·FPM	1
6	STEM	POM	1
7	CERAMIC CHIP	CERAMIC	1
8	CERAMIC CHIP	CERAMIC	1
9	GASKET	EPDM·NBR·FPM	1
10	GASKET	EPDM·NBR·FPM	1
11	BODY	ABS · PP	1
12	GASKET	EPDM·NBR·FPM	1
13	NOZZLE	ABS · PP	1

SIZE: 1/2" 3/4"

X8311


DESCRIPTION: Fast-opening Bibcock
With Connector (Knob Handle)

Bibcocks series



X8312

DESCRIPTION: Fast-opening
Bibcock With Connector (One-way
Handle)




ITEM	COMPONENT	MATERIAL	QUANTITY
1	HANDLE	ABS · PP	1
2	BONNET	POM	1
3	O-RING	EPDM-NBR-FPM	1
4	O-RING	EPDM-NBR-FPM	1
5	STEM	POM	1
6	CERAMIC CHIP	CERAMIC	1
7	CERAMIC CHIP	CERAMIC	1
8	GASKET	EPDM-NBR-FPM	1
9	GASKET	EPDM-NBR-FPM	1
10	BODY	ABS · PP	1
11	GASKET	EPDM-NBR-FPM	1
12	NOZZLE	ABS · PP	1

SIZE: ☐ 1/2" ☐ 3/4"



X8401

DESCRIPTION: Slow-opening
Bibcock




ITEM	COMPONENT	MATERIAL	QUANTITY
1	SCREW	STAINLESS STEEL	1
2	HANDLE	ABS · PP	1
3	BONNET	ABS · PP	1
4	GASKET	EPDM-NBR-FPM	1
5	STEM	ABS · PP	1
6	GATE	EPDM-NBR-FPM	1
7	BODY	ABS · PP	1

SIZE: ☐ 1/2" ☐ 3/4"



X8411

DESCRIPTION: Slow-opening
Bibcock With Connector



ITEM	COMPONENT	MATERIAL	QUANTITY
1	SCREW	STAINLESS STEEL	1
2	HANDLE	ABS · PP	1
3	BONNET	ABS · PP	1
4	GASKET	EPDM-NBR-FPM	1
5	STEM	ABS · PP	1
6	GATE	EPDM-NBR-FPM	1
7	BODY	ABS · PP	1
8	GASKET	EPDM-NBR-FPM	1
9	NOZZLE	ABS · PP	1

SIZE: ☐ 1/2" ☐ 3/4"










Yuhuan Xushi Plastic Industry Co., Ltd.
TEL:0086-576-8716 8599 FAX: 0086-576-8710 3808
E-mail: xushi@xushi.cc WEB: www.xushi.cc
ADD: Sci-Tech Industrial Park, Qinggang Section,
Yuhuan, ZhenJiang, China

玉环许氏塑业有限公司
电话: 0576-8716 8599 传真: 0576-8710 3808
邮箱: xushi@xushi.cc 网站: www.xushi.cc
地址: 中国浙江省玉环市清港科技工业园区



Valves



Bibcocks



Fittings